
NUTANT PROTEINS--ENZYNES TO HYDROLYZE TOXIC ORGANOPHOSPHATESCU) CALIFORNIA INST OF TECH PASADENA DIV OF CHEMISTRY AND CHEMICAL ENGINEERING JH RICHARDS 15 JUN 87 N00014-83-K-0487 F/G 6/1 AD-A182 210 1/1 UNCLASSIFIED NL



	U SECURITY CLASSIF		100	DTIC	FILE	COPY	, G
-	AD-A182	210 1	ENTATION P			-	
	Ta. REPORT SECL (U)	2 2 10	16 RESTRICTIVE N	MARKINGS	-		
	2a. SECURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION / AVAILABILITY OF REPORT				
	NA 2b. DECLASSIFICATION / DOWNGRADING SCHEDULE NA-	Distribution Unlimited					
e La prime de la prime de la	4. PERFORMING ORGANIZATION REPORT NUMBER(5. MONITORING ORGANIZATION REPORT NUMBERS NA 73. NAME OF MONITORING ORGANIZAT Office of Naval Research JUN 2 3 1987					
	6a. NAME OF PERFORMING ORGANIZATION California Institute of Technology	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MO Office of N	nitoring orga aval Resear		NUL	23 1987
	6c. ADDRESS (City, State, and ZIP Code) Division of Chemistry & Chemical E Mail Code 147-75 Pasadena, California 91125	7b. ADDRESS (City, State, and ZIP Code) 800 N. Quincy Street Arlington, Virginia 22217-5000					
	ORGANIZATION	Bb. OFFICE SYMBOL (If applicable) ONR	9. PROCUREMENT		DENTIFICAT	TION NUMBI	ER
	Office of Naval Research 8c. ADDRESS (City, State, and ZIP Code)	N00014-83-K-0487					
	800 N. Quincy Street		10 SOURCE OF FU	PROJECT	TASK	lw	ORK UNIT
	Arlington, Virginia 22217-5000		ELEMENT NO. 61153N	NO. RR04106	NO.	AC	CCESSION NO.
	11. TITLE (Include Security Classification) (U) Mutant Proteins—Enzymes to Hydrolyze Toxic Organophosphates						
	12. PERSONAL AUTHOR(S) Richards, John H.						
	13a. TYPE OF REPORT Annual 13b. TIME COVERED FROM 6/15/86 TO 6/14/87 6/15/87 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT 4						
	16. SUPPLEMENTARY NOTATION						
-	17. COSATI CODES	18. SUBJECT TERMS (C					
	FIELD GROUP SUB-GROUP Enzyme, Catalysis, Protein, Amidase, Peptidase, β-Lactamase, O8 Antibiotic Resistance Structure-Function						·
	19. Assirtact (continue on rayers if reseasory and identity by block number) How proteins function as molecular machines, how to introduce novel activities into proteins,						
	how the function of a protein is related to its three-dimensional structure and in turn to its sequence of amino acids how the various elements of a protein contribute to its structural stability there						
	questions form the general focus of this work.						
	To gain the appropriate insights into the general rules that govern these relationships, we are developing and using various techniques of mutagenesis to alter the amino acid sequence in enzymes such as Blactamase (responsible for resistance to penicillin therapy in many strains of infectious bacteria) and the serine protease, onlytic protease. We also employ novel chemical modifications of						
4,35,6,64	mutant proteins to achieve structi	ures that cannot	t be obtained	by purely	bioche	mical ap	proaches.
	accelerate the hydrolysis of toxic or	ganophosphates	s, some of which	ch are poten	uiat, i	bases.	ceywords;
	20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED SAME AS RP	PT. DTIC USERS	21. ABSTRACT SEC	CURITY CLASSIFIC	CATION		
	22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Eli D. Schmell		22b. TELEPHONE (# (202) 696-47	nclude Area Cod 760	(e) 22c. O		OL .
DD FORM 1473, 84 MAR 83 APR edition may be used until exhausted. All other editions are obsolete. SECURITY CLASSIFICATION OF THIS PAGE							

ا دورون اون داده ای چ

ANNUAL REPORT

June 15, 1987

Mutant Proteins--Enzymes to Hydrolyze Toxic Organophosphates

John H. Richards
Division of Chemistry and Chemical Engineering
California Institute of Technology
Pasadena, California

Contract: N00014-83-K-0487

During the past year work has continued on studies of the relationship between the amino acid sequence of a protein, its three-dimensional structure, the stability of the folded protein (for example, its resistance to stressful environments such as high temperature and acidic or basic pH), and catalytic activity. We have also explored approaches that change the types of reactions catalyzed by a particular enzyme. These studies have focused principally on two amidases, \(\beta-lactamase and the serine proteinase, \(\alpha-lytic protease.

1. B-Lactamase

a. We have investigated the role of the disulfide bond in stabilizing wild-type and mutant RTEM-1 \(\beta\)-lactamase.

We have previously generated and characterized mutants of RTEM-1 etalactamase with all possible amino acid substitutions (site-saturation) at Thr 71; this residue is part of the conserved triad (-Ser-Thr-Xaa-Lys-) in class A \(\beta\)-lactamases that contains the active site serine residue. Surprisingly, fourteen of the mutant proteins retain considerable catalytic activity but all 19 are less stable to proteolysis and thermal denaturation than wild-type β-lactamase. Uniquely among class A βlactamases, the RTEM-1 (and RTEM-2) enzymes contain a single disulfide bond between Cys 77 and Cys 123. To study the possible role of this naturally occurring disulfide in stabilizing \(\beta\)-lactamases with mutations at residue 71, this bond was removed by introducing a second mutation Cys 77 + Ser. We first generated and characterized a singly mutant Cys 77 + Ser β-lactamase. Both the wild-type and the Cys 77 + Ser enzyme confer the same high levels of resistance to ampicillin in vivo to E. coli; at 30°C, the specific activity of purified Cys 77 + Ser enzyme is also the same as that of the wild-type enzyme. However, above 40°C or above pH 8 the mutant enzyme is significantly less stable than wild-type enzyme. We then introduced the Cys 77 + Ser mutation into all 19 of the β-lactamases containing mutations at residue 71 and analyzed the ability of the 19 resulting doubly mutant proteins to confer ampicillin resistance to $E.\ coli.$ None of the doubly mutant proteins conferred resistance to ampicillin in vivo at 37°C; proteins with Ala, Val, Leu, Ile, Met, Pro, His, Cys and Ser at residue 71 conferred low levels of resistance to ampicillin in vivo at 30°C. We also estimated the relative quantities of mutant proteins in whole cell extracts of E. coli by use of electrophoretic blots stained with antibodies against Blactamase. We observed that all 19 of the doubly mutant enzymes seem to be proteolyzed much more readily than their singly mutant analogues that contain a disulfide bond. We interpret these results to suggest the disulfide bond of the RTEM-1 β-lactamase can significantly reduce the destabilizing effect of mutations at Thr 71. These results also emphasize the unique and essential role Thr 71 performs in the stable folding of RTEM-1 \(\beta\)-lactamase.

b. Regeneration of essentially complete catalytic activity by chemical modification has been achieved by treatment with ethylene imine of a mutant of β -lactamase (Lys 73 Cys). This mutant affects a lysine residue in the catalytic site of the enzyme; this lysine forms a hydrogen bond to the hydroxyl group of the catalytic serine. The loss of the basic amino group in the Lys 73 Cys mutant reduces the activity by a factor of ~10⁴. Can one recover a high level of catalytic activity by reintroducing an amino group with the proper relationship to the polypeptide backbone, as by extension from the sulfur atom of the cysteine residue by a dimethylene amino group? Indeed, we have shown that such chemical modification can accomplish this result though the reactivation requires reaction with ethylene imine under mildly denaturing conditions (4 M urea) necessary to partially unfold the protein and thereby expose the sulfhydryl group of the cysteine residue. The resulting aminoethylcysteine is essentially isosteric with lysine.

E-CH₂SH +
$$\bigwedge$$
 E-CH₂SCH₂CH₂NH₃

The enzyme reactivated in this way and purified has regained essentially complete activity, i.e., increased by 10⁴ its catalytic effectiveness over its mutant precursor. Such chemical modification of specifically generated mutants, a combination of biological and chemical techniques, opens new, generally useful approaches to structure-function studies and to the creation of new catalytic agents not otherwise accessible.

c. D,D-carboxypeptidase activity has been introduced into β-lactamase as pointed out in last year's report, by creating the following chimeric protein;

50 * 78

B-Lactamase:

-DLNSGKiLes-frpeeRFpmmStfKvllcG-

PBP5 Sequence:

-DLNSGKvLaeeqnadvRrdpaSltKmmtsG-


this protein differs by about 8% overall from β-lactamase itself and shows about 3% of the activity on L-Lys-D-Ala-D-Ala derivatives of the D,D-carboxypeptidase PBP5 (the wild-type β-lactamase completely lacks such activity). We are now using a synthetic approach to introduce a number of amino acid substitutions into this region of the enzyme and screening the resulting mutants on a chromogenic depsipeptide system to drive mutation to increase carboxypeptidase activity.

- d. A mutation (Ala 172 + Thr) has been reported (1) to increase the substrate specificity of RTEM-2 \(\textit{\beta}\)-lactamase for cephems relative to penams. We are studying the role of other residues at this position by a site-saturation experiment of the type previously employed at residues 71 and 73. To this end we have introduced restriction sites at positions near residue 172 to allow use of cassette mutagenesis to obtain the desired variants which are now in hand. DNA sequencing of colonies is underway to identify mutants containing each of the 19 possible variations at 172 before assaying the effect of these changes on substrate specificity.
- e. The recent structural work on the Staphyllococcus aureus β -lactamase (2) (of the same family as the RTEM enzyme) calls attention to two residues conserved in all class A lactamases: Glu 266 and Lys 234. We have introduced unique

restriction sites preparatory to using cassette mutagenesis to carry out site-saturation studies at these positions.

Hall, A. and Knowles, J. R. (1976) Nature 264, 803-804. Herzberg, O. and Moult, J. (1987) Science 236, 694-701.

2.





DISTRIBUTION LIST MOLECULAR BIOLOGY PROGRAM

ANNUAL, FINAL, AND TECHNICAL REPORTS (One copy each except as noted)

Dr. Lewis F. Affronti George Washington University Department of Microbiology 2300 I ST NW Washington, DC 20037

Dr. J. Thomas August The Johns Hopkins University School of Medicine 720 Rutland Avenue Baltimore, MD 21205

Dr. Myron L. Bender Chemistry Department Northwestern University Evanston, IL 60201

Dr. R. P. Blakemore University of New Hampshire Department of Microbiology Durham, New Hampshire 03824

Dr. Ronald Breslow Columbia University Department of Chemistry New York, NY 10027

Dr. James P. Collman Department of Chemistry Stanford University Stanford, California 94305

Dr. Alvin Crumbliss North Carolina Biotechnology Center Post Office Box 12235 Research Triangle Park, NC 27709

Dr. Marlene Deluca University of California, San Diego Department of Chemistry La Jolla, CA 92093

Dr. Bruce Erickson Chemistry Department University of North Carolina Chapel Hill, NC 27514

Dr. Richard B. Frankel Massachusetts Institute of Technology Francis Bitter National Laboratory Cambridge, MA 02139

Dr. Hans Frauenfelder Department of Physics University of Illinois Urbana, IL 61801

Dr. Bruce Gaber Naval Research Laboratory Code 6190 Washington, DC 20375

Dr. R. W. Giese Northeastern Univ Section of Medicinal Chemistry 360 Hungtington Ave Boston, MA 02115

Dr. Barry Honig Columbia University Dept of Biochemistry and Molecular Biophysics 630 West 168th St. New York, NY 10032 Dr. Alex Karu Department of Plant Pathology College of Natural Resources University of California Berkeley, CA 94720

Dr. Robert G. Kemp University of Health Sciences Chicago Medical school Department of Biological Chemistry 3333 Green Bay Road North Chicago, IL 60064

Dr. Ghobind H. Khorana Massachusetts Institute of Technology 77 Massachusetts Avenue Cambridge, MA 02139

Dr. Richard Laursen Chemistry Department Boston University 590 Commonwealth Avenue Boston, MA 02215

Dr. Robert W. Lenz Chemical Engineering Department University of Massachusetts Amherst, MA 01003

Dr. Harden M. McConnell Stanford University Department of Chemistry Stanford, CA 94305

Dr. Kristin Bowman Mertes University of Kansas Department of Chemistry Lawrence, Kansas 66045

Dr. Edgard F. Neyer Texas AAM University Department of Biochemistry and Biophysics Box 3578 College Station, TX 77843

Dr. Jiri Novotny Laboratory of Cellular and Molecular Research Massachusetts General Hospital Boston, MA 02114

Dr. Carl O. Pabo Johns Hopkins Medical School Department of Biophysics Baltimore, MD 21205

Dr. Franklyn Prendergast Mayo Foundation 200 First St. SW Rochester, MN 55905

Dr. Maftali Primor New York Zoological Society New York Aquarium Osborne Laboratory of Marine Science Brooklyn, NY 11224

Dr. K. S. Rajan Illinois Institute of Technology Research Institute 10 W. 35th St. Chicago, IL 60616

Dr. C. Patrick Reynolds Naval Medical Research Institute Transplantation Research Program Center Bethesda, MD 20814 Dr. Alexander Rich Department of Biology Massachusetts Institute of Technology Cambridge, MA 02139

Dr. J. H. Richards California Institute of Technology Division of Chemistry and Chemical Engineering Pasadena, CA 91125

Dr. J. S. Richardson Duke University School of Medicine Department of Anatomy Durham, NC 27910

Dr. Richard Roblin Genex Corporation 16020 Industrial Drive Gaithersburg, MD 20877

Dr. Peter G. Schultz Department of Chemistry University of California Berkeley, CA 94720

Dr. Michael E. Selsted Department of Medicine UCLA School of Medicine 37-055 CHS Los Angeles, CA 90024

Dr. Michael Shuler School of Chemical Engineering Cornell University Ithaca, New York 14853

Dr. David S. Sigman UCLA School of Medicine Department of Biological Chemistry Los Angeles, CA 90024

Dr. John M. Stewart University of Colorado Health Science Center Department of Biochemistry Denver, CO 80262

Dr. Dan W. Urry Laboratory of Molecular Biophysics University of Alabama P. O. Box 311 Birmingham, AL 35294

Dr. J. Herbert Waite College of Marine Studies University of Deleware Lewes, DE 19958

Dr. Gerald D. Watt Battelle-C. F. Kettering Research Laboratory 150 East South College Street P. O. Box 268 Yellow Springs, Ohio 45387

Dr. Jon I Williams Allied Corporation Columbia Rd and Park Ave. Morristown, HJ 07960

Dr. Eli D. Schmell, Code 1141FB Office of Naval Research 800 North Quincy Street Arlangton, VA 22217-5000

Dr. Michael T. Marron, Code 1141MB Office of Neval Research 800 North Quincy Street Arlington, VA 22217-5000

Dr. Margo G. Haygood Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Adminstrator (2 copies, Enclose DTIC Form 50) Defense Technical Information Center Building 5, Cameron Station Alexandria, VA 22314

ANNUAL AND FINAL REPORTS ONLY (One copy each)
Commander
Chemical and Biological Sciences Division
Army Research Office
P. O. Box 12211
Research Triangle Park, NC 27709

Directorate of Life Sciences Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Chemistry and Atmospheric Sciences Directorate Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Director Biotechnology Division CRDEC Aberdeen Proving Grounds, MD 21010-5423

Administrative Contracting Officer
ONR Resident Representative
(Address varies - obtain from your business office)

Director, Code 12 Applied Research and Technology Directorate Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 22 Support Technology Directorate Office of Naval Technology 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 112 Environmental Sciences Directorate Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 113 Chemistry Division Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

FINAL AND TECHNICAL REPORTS ONLY Director (6 copies) Naval Research Laboratory Attn: Technical Information Division, Code 2627 Washington, DC 20375

8-87 DT (